

Marion County Extension Service  
2232 NE Jacksonville Road  
Ocala, Florida, 34470  
(352) 671-8400



## MARION COUNTY LIVESTOCK NEWS

Vol. 13, No. 9

NOV. 2007

### Preparing for the Equine Breeding Season

The natural breeding season for horses begins around April 1st with the imposed season beginning around February 15th. Correspondingly, foaling season begins between January and March. Planning and preparation for the breeding and foaling season begin early in the fall. Considerations and decisions will vary based on breed association rules, breeding technologies to be employed (natural, AI - fresh, shipped cooled or frozen, embryo transfer) and whether or not you are dealing with maiden, open, barren or foaling mares, or stallions.

Early on, you should carefully consider an even more fundamental question of whether or not to produce a foal. Appropriate selection of mare and stallion is crucial to meeting production goals. The simple principle of breeding the best to the best is not as easy as it sounds. Accurate determination of what is best is a challenge in and of itself. Accessibility, costs and genetic factors such as blood incompatibilities, HYPP, CID, and color lethals such as roan, white, and overo should be considered in the decision making process. If you do not own your own stallion, booking should be done as early as possible in the fall. A well-written contract that defines fee schedules, guarantees, and conditions often prevents misunderstandings.

The breeding and foaling season is the most labor intensive time of year. An adequate number of properly trained employees will make the job less daunting. Personnel management may be the single largest challenge of the breeding operation.

**Preparations for Maiden, Open and Barren Mares**  
Extend day length by 2 to 3 hours at dusk beginning no later than December 1st. Exposing mares to additional

light in winter will cause them to go through transition earlier than normal and hasten the date of first ovulation. If the mares leave the farm for breeding, be certain the stallion owners continue the light treatment.  
Record

Assess Body Condition Scores using a common system such as the one described in these proceedings. Thin mares are more difficult to settle and should be fed to gain weight prior to the breeding season. Record Perform breeding soundness exams and review breeding history. Knowing what to expect from a given mare will be an aid to those handling the teasing program and will help avoid missed ovulations.

Problem mares require special treatment. Record Vaccinate and deworm with the approaching breeding season in mind. Disease challenge goes up and resistance goes down when horses leave home and are exposed to a new environment. Work with your veterinarian to plan the vaccination and deworming program appropriate for your area. Record

#### **Preparations for Foaling Mares**

Calculate Expected Foaling Date (EFD) as all other preparations hinge on this time. Take last ovulation date (or last breeding date) and count back 25 days on the calendar. The average gestation length is 340 days so your mare will foal approximately one month earlier the following spring than when you bred her. Record Assess Body Condition and feed to a minimum score of 5.5 or 6 before foaling. While lactating, mares are in a negative energy balance and it is extremely difficult and costly to cause the mare to gain weight while milking.  
Record

(continued on pg. 2)

Open Caslick at least 30 days before EFD. Failure to open the mare's vulva can be catastrophic as the mare will most certainly tear during delivery. Check the vulva frequently after opening because it can heal closed again or become infected. Record Vaccinate 4 to 6 weeks prior to EFD in order to boost immunity during the time the mare is producing colostrum. Transfer of immunity through colostrum will provide the foal with protection for 4-5 months. Work with your veterinarian to plan the vaccination program appropriate for your area. EHV (Rhino) should be given during months 5, 7 and 9 of pregnancy.

Record

Deworm on the schedule you have worked out with your veterinarian throughout pregnancy and when the mare is showing signs of approaching delivery.

Record

Check inventory and order supplies that will be needed at foaling and during breeding. If critical need items like frozen colostrum, IgG kits, or tetanus antitoxin are not on hand, they should be readily obtainable.

### **Preparations for Stallions**

DO NOT extend day length. Though this will improve sperm output early in the season, it is likely that semen quality will taper off during April and May when there are typically large numbers of mares to breed. It is also important to not maintain stallions under lights year round as this may cause shifts in sperm output that do not positively correspond to the breeding season.

Perform test matings if possible to insure the product you are selling. Even if a stallion has had a successful season the previous year, a breeding soundness exam would be in order. If semen is to be processed, pre and post cooling evaluations should be made. Record Train young stallions in advance of the breeding season. Early experience is crucial to the lifetime performance of a breeding stallion. Good manners as well as bad habits develop based on the first few visits to the breeding shed. Sometimes the overly aggressive stallion can be taught manners by an older, dominant mare. There are obvious risks in this method.

Assess body condition and feed the stallion to at least a score of 5 before the breeding season. Covering mares places high energy demands on stallions and they will typically lose weight during the breeding season.

Record

Vaccinate and deworm on a schedule that is appropriate for expected exposure. If the stallion is to be vaccinated for EVA, obtain a negative test before vaccinating. Allow a minimum of 28 days from vaccination to breeding and/or teasing mares. Record

There is much to consider in preparing for the breeding season. All that is done should support

production goals. By reviewing past records, mistakes will not likely be repeated. "Prior planning prevents poor performance" is an appropriate reminder. Once the plan is laid, execution requires communication and commitment. Help is available from many sources. Extension professionals, veterinarians specializing in equine reproduction, product representatives, trade publications and many on-line services are at your finger tips. Employ all of your resources.

*J.M. Shuffitt<sup>(1)</sup> and S.H. TenBroeck<sup>(2)</sup>*

*<sup>1</sup>Marion County Extension Service, Ocala, FL*

*<sup>2</sup>Department of Animal Sciences, Gainesville, FL  
University of Florida/IFAS*

## ***25th Annual Cattlemen's Institute and Allied Trade Show***

January 17th, 2008

Osceola Heritage Park

**1921 Kissimmee Valley Lane off HWY 192**

**"Keys to Profitability"**

**Nutrition, Health and Management for Reproduction**

**8:00 AM**

**Trade Show Opens**

**9:45 AM**

**Welcome**

**Larry Rooks, FCA President**

**10:00 AM**

**Soil Fertility Management for Forage Crops**

**Dr. Maria Silveria, Assistant Professor in  
Soil and Water Science at the Range Cattle  
REC, Ona**

**10:30 AM**

**Are You Prepared for the Winter**

**Dr. Joao Vendramini, Forage Specialist -  
University of Florida - IFAS | Range Cattle  
Research and Education Center**

**11:00 AM**

**Forage Analysis For Beef Cattle:  
Why, How and So What**

**Dr. Matt Hersom, Beef Cattle Specialist  
UF/Extension, Gainesville**

**11:30 AM**  
**Least Cost Production**

**Randy Blach, Cattle FAX**

**12:30 PM - Lunch**  
**Cooking by: Orange County**  
**Cattlemen's Association (\$5.00)**

**AWARDS**

**1:15 PM**  
**Basic Management That Returns Dollars**  
**(Bulls & Other Reproductive Tactics to Improve Profitability)**

**Dr. Cliff Lamb, University of Minnesota**

**1:45 PM**  
**Trade Show Break**

**2:00 PM**  
**Producer Panel**

**Effective, Least Cost Production...**  
**Our Perspective -**

**Moderator:**  
**Dr. John Arthington**

**Panel:**  
**Carl McKettrick**  
**Market Owner, Cattle Buyer**

**Hal Phillips, D.V.M.**  
**Veterinarian/Producer**

**Dan Dorn**  
**Supply Development**  
**Decatur County Feedyards**

**Mike Milicevic**  
**General Manager**  
**Lykes Ranch Div.**

**3:00 Adjourn**

**“Beef Cattle Management Tips”**

**NOVEMBER**

- ⇒ Have soils tested.
- ⇒ Observe cows daily to detect calving difficulty
- ⇒ Use high magnesium mineral if grass tetany has been a problem in the past
- ⇒ Check for external parasites and treat if needed
- ⇒ Maintain adequate nutrient level for cow herd
- ⇒ Calve in well-drained pastures
- ⇒ Survey pastures for poisonous plants
- ⇒ Start summarizing your annual records, both production and financial - then you will have time to make adjustments for tax purposes
- ⇒ Re-evaluate winter feeding program and feed supplies.
- ⇒ Get breeding soundness exams on bull battery so you have time to find replacements if some fail.
- ⇒ Implement bull conditioning program.

**DECEMBER**

- ⇒ Check mineral feeder
- ⇒ Begin grazing small grain pastures, if ready
- ⇒ Check for external parasites and treat if necessary
- ⇒ Deworm cows and heifers prior to winter feeding season
- ⇒ Check cows regularly for calving difficulties
- ⇒ Rotate calving pasture to prevent diseases
- ⇒ Observe calves for signs of scours
- ⇒ Investigate health of bulls **before** you buy
- ⇒ Check replacement heifers to be sure they will be ready to breed 3-4 weeks prior to the main cow herd
- ⇒ Complete review of management plan and update for next year.

The Institute of Food and Agriculture Sciences is an Equal Employment Opportunity-Affirmative Action Employer authorized to provide research, educational information and other services only to individuals and institutions that function without regard to race, color, sex, age, handicap or national origin. Persons requiring special accommodations should contact the Extension Service one-week in advance of program for assistance.

John Mark Shuffitt  
Livestock Agent III  
Marion County Extension

# Horse Industry Participation in the 2007 USDA Census of Agriculture

The U.S. Department of Agriculture (USDA) is preparing to conduct the 2007 USDA Census of Agriculture. Every five years, USDA conducts an agriculture census to determine the number of U.S. farms, ranches and the people who operate them. The census is a valuable tool to help measure land use and ownership, livestock populations, operator characteristics, production practices, income and expenditures and many other areas.

The American Horse Council (AHC) wants to ensure that the American horse industry is properly accounted for in the upcoming Census. There are three ways in which horse owners can participate in the USDA's 2007 Census of Agriculture:

1. If a farm received a survey for census participation in the past (the last census was taken in 2002), the farm will be mailed a survey that can be filled in and mailed back.
2. If a farm was not part of the 2002 Census, the owner can fill out a basic USDA census registration form online by following the link from the AHC's web site: [www.horsecouncil.org](http://www.horsecouncil.org). Once this form is submitted online, a survey will be mailed to the farm.

3. Finally, beginning in late December 2007, the Census survey will be available to all farm owners and operators to fill out online even if they have not pre-registered.

Further information on the 2007 Census of Agriculture can be found on the USDA's web site: [www.agcensus.usda.gov](http://www.agcensus.usda.gov). Census forms will be mailed on December 28, 2007. The mailing will include further instructions about how to log in and respond to the Census via a secure web connection. All Census forms must be completed by February 2, 2008.